Blood lead levels in Trail Fall 2025

Dr. Karin Goodison, Medical Health Officer Cecilee Pitman, PHN

Land Acknowledgement

We recognize and acknowledge that we are collectively gathered on the traditional, ancestral, and unceded territories of all the Interior Region First Nations. This region is also home to 15 Chartered Métis Communities. It is with humility that we continue to strengthen our relationships with First Nation, Métis, and Inuit peoples across the Interior.

Ktunaxa, Secwépemc, Syilx, Sinixt



Objective

Overview of blood lead (Pb) levels tested in fall 2025

Comparison of mean blood Pb levels in 2025 to previous years



Who was tested in 2025?

 Children aged 6-36 months, living in City of Trail or Rivervale (Area 2/3)

Children aged 6-36 months living in Warfield, Oasis, Casino and

Waneta (Area 1)



Additional Testing


These results are not used to calculate the geomean, but we welcome these children/families to be tested to learn about their lead exposure.

- Children new to the area, up to the age of 5 years old
- Children with previous enhanced support follow up who are now over 36 months old
- Children whose parents requested testing for their child from outside target area and age range





"Areas" and Neighbourhoods





Participation By Target Areas (6-36 months old)

No. of samples collected: 118

No. of children attended: 125

 No. of children in target age and areas invited: 166

75% overall

Figure 1. Proportion of children who attended the blood lead clinics over the past year by areas







Figure 2. Proportion of children who attended the blood lead clinics by areas 2021-2025

Participation
By Target
Areas
contd.







Blood Pb Level Threshold

- There is no known <u>specific blood Pb level</u> below which there are no identified health effects
- Canadian children 3-5 years old had geomean blood Pb levels at 0.50 µg/dL in 2018/19 **

** note that Trail children's geomean reflects ages 6-36 months (age when higher BL is expected)

- BCCDC uses 5µg/dL as exposure investigation levels (EILs) for children (aged 0-18 years), and women aged 19-49.
- In BC, blood Pb levels that meet or exceed the defined EILs will prompt further follow up by public health agencies.
- The US CDC uses the term Blood Lead Reference Value. This indicates that most children's BLL are less than 3.5 µg/dL.

Enhanced Support (ES) Program


- Children with results above a blood Pb threshold are offered Enhanced Support
- The threshold for offering this program has decreased over time:
 - 2002 10 µg/dL
 - 2009 10 μ g/dL for children 12 months and older;
 - 7 μg/dL for children 6-12 months
 - increase of $>3 \mu g/dL$ year to year
 - $2019* 5 \mu g/dL$
 - $2025 3.5 \mu g/dL$ is recommended
 - This aligns with program progress and anticipated provincial changes

*BLL results become reportable in BC




Range of Blood Pb Levels – all areas

Figure 3. Proportion of children stratified by blood lead levels for **2025**



2024





Blood Pb levels by area








Figure 5. Proportion of blood lead samples collected over the years for all areas by blood lead level concentration






Trend of Blood Pb Geomean by Area






Blood Pb Levels in Trail, Canada & U.S. Data









Year

Concluding messages

Area 2&3 Geomean 2024= 2.2 **2025= 2.3**

Overall Geomean 2024= 2.0 **2025= 2.2 (2.15)**

The mean blood lead levels continue to demonstrate evidence of some exposure to lead in the environment.

We see similar blood lead geomeans to last year.

Overall, we continue to expect a narrowing of the gap between Trail children and other Canadian and American children of similar age.



Thank you

